

All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015
Revision 2

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity All Floor Surface Neutralizer & Conditioner

Alternate Names Chemical Family: Acidic cleaner and neutralizer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use / Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Big 3 Packaging, LLC

4201 Torresdale Avenue Philadelphia, PA 19124

Emergency

 CHEMTREC (USA)
 (800) 424-9300

 24 hour Emergency Telephone No.
 800-535-5053

 Customer Service: Big 3 Packaging, LLC
 215-743-4201

2. Hazard identification of the product

The hazard classification and label elements reflect the intrinsic properties of the concentrate product as supplied, which is sealed in a water soluble sachet. The sachet when intact provides a barrier to dermal and inhalation exposure under conditions of normal handling and use. The precautionary statements are applicable under conditions of potential exposure to the concentrate itself.

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

Classification according to 67/548/EEC or 1999/45/EC.

Xi Irritant.

R36/38 Irritating to eyes and skin.

R67 Vapors may cause drowsiness and dizziness.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015 Revision 2

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows. **According to Regulation (EC) No 1272/2008**



H315 Causes skin irritation. H319 Causes serious eye irritation.

[Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P321 Specific treatment (see information on this label).

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No CLP storage statements

[Disposal]:

No CLP disposal statements See Technical Data Sheet.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015 Revision 2

3. Composition/information on ingredients

If the product contains substances that present a health hazard within the meaning of the Dangerous Substances Directive 67/548/EC, or have occupational exposure limits detailed in EH40, these substances are listed below.

| Ingredient/Chemical Designations | Weight % | 67/548/EEC Classification* | EC No. 1272/2008 Classification* | Notes |
|---|----------|-------------------------------|--|--------|
| 2-methylpentane-2,4-diol CAS Number: 0000107-41-5 EC No. 203-489-0 Index No.: 603-053-00-3 | 50 - 75 | Xi;R36/38 | Eye Irrit. 2;H319 Skin Irrit. 2;H315 | [1][2] |
| Citric acid CAS Number: 0000077-92-9 EC No. 201-069-1 Index No.: | 10 - 25 | R36 | Eye Irrit. 2;H319 | [1] |
| Isopropyl Alcohol CAS Number: 0000067-63-0 EC No. 200-661-7 Index No.: 603-117-00-0 | 1.0 - 10 | F;R11 Xi;R36 R67 | Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336 | [1][2] |

[^]CLP 31 Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Exposure to solvent vapor concentrations from the component solvents in excess of the

stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular

weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation

and soreness with possible reversible damage. See section 2 for further details.

Eyes Causes serious eye irritation.

Skin Causes skin irritation.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015
Revision 2

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO_2 , powder, water spray.

Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizers or Reducing Agents

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015 Revision 2

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------|--------------------------|----------|---|
| 0000067-63-0 | Isopropyl Alcohol | OSHA | TWA 400 ppm (980 mg/m3)STEL 500 ppm |
| | | ACGIH | TWA: 200 ppmSTEL: 400 ppm Revised 2003, |
| | | NIOSH | TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3) |
| | | Supplier | No Established Limit |
| 0000107-41-5 | 2-methylpentane-2,4-diol | OSHA | No Established Limit |
| | | ACGIH | Ceiling: 25 ppm |
| | | NIOSH | C 25 ppm (125 mg/m3) |
| | | Supplier | No Established Limit |

This product contains no known or suspected carcinogens (as defined by OSHA, NTP, and IARC), and is not believed to be carcinogenic.

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended.

Skin Wear overalls to keep skin contact to a minimum.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Thin colorless Liquid

Odor Bland

Odor threshold Not Measured pH 3.5 \pm 0.5

Melting point / freezing pointNot EstablishedInitial boiling point and boiling range212 F (100 C)Flash PointNot ApplicableEvaporation rate (Ether = 1)Equal to WaterFlammability (solid, gas)Not Applicable



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015
Revision 2

Upper/lower flammability or explosive limits

Vapor pressure (Pa)
Vapor Density

Specific Gravity
Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature Decomposition temperature

Viscosity (cSt)

VOC %

Percent Volatiles (by weight)

9.2. Other information

No other relevant information.

Not Established
Not Established
Equal to Water

1.01 (on dilution \approx 1.0)

Complete
Not Measured
Not Established
Not Established
Not Established
Not Established

< 10 (on dilution < 1.0)

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep out of heat > 140F and cold < 30F.

10.5. Incompatible materials

Oxidizers or Reducing Agents

10.6. Hazardous decomposition products

Oxides of Carbon

11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015 Revision 2

| Ingredient | Oral LD50, | Skin LD50, | Inhalation Vapor | Inhalation Mist | Inhalation Gas |
|----------------------------------|----------------------------------|--------------------|----------------------|----------------------|----------------------|
| | mg/kg | mg/kg | LD50, mg/L/4hr | LD50, mg/L/4hr | LD50, ppm |
| 2-methylpentane-2,4-diol - (107- | 3,700.00, Rat - | 7,892.00, Rabbit - | No data | No data | No data |
| 41-5) | Category: 5 | Category: NA | available | available | available |
| Citric acid - (77-92-9) | 11,700.00, Rat - Category: NA | No data available | No data available | No data available | No data available |
| Isopropyl Alcohol - (67-63-0) | 4,710.00, Rat - | 12,800.00, Rat - | 72.60, Rat - | No data | No data |
| | Category: 5 | Category: NA | Category: NA | available | available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------------------|
| Skin corrosion/irritation | 2 | Causes skin irritation. |
| Serious eye damage/irritation | 2 | Causes serious eye irritation. |

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|---------------------------------------|--------------------------|----------------------------|-----------------------------|
| 2-methylpentane-2,4-diol - (107-41-5) | 10,000.00, Lepomis | 2,800.00, Cerodaphnia | Not Available |
| | macrochirus | reticulata | |
| Citric acid - (77-92-9) | 706.00, Fish (Piscis) | Not Available | Not Available |
| Isopropyl Alcohol - (67-63-0) | 1,400.00, Lepomis | 100.00, Daphnia magna | 100.00 (72 hr), Scenedesmus |
| | macrochirus | | subspicatus |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015 Revision 2

14. Transport information

| | DOT | IMO/IMDG | ICAO/IATA |
|----------------------------|----------------|----------------|----------------|
| 14.1. UN number | Not Applicable | Not Applicable | Not Applicable |
| 14.2. UN proper ship. name | Not Regulated | Not Regulated | Not Regulated |

14.3. Transport hazard class(es) DOT Hazard Class: N/A IMDG: Not Applicable Air Class: Not Applicable

DOT Label: --- Sub Class: Not Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

15. Regulatory information

EU Legislation

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

National Legislation

None noted.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

R11 Highly flammable.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.



All Floor Surface Neutralizer & Conditioner

SDS Revision Date: 05/20/2015
Revision 2

R67 Vapors may cause drowsiness and dizziness.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

THE INFORMATION CONTAINED IN THIS SDS WAS OBTAINED FROM CURRENT AND RELIABLE SOURCES, HOWEVER THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. SINCE THE CONDITIONS OF HANDLING, STORAGE AND DISPOSAL OF THIS PRODUCT ARE BEYOND THE CONTROL OF THIS COMPANY, IT IS NOT RESPONSIBLE FOR LOSS, INJURY AND EXPENSE ARISING OUT OF THE PRODUCT'S IMPROPER USE. NO WARRANTY, EXPRESSED OR INFERRED, REGARDING THE PRODUCT DESCRIBED IN THIS MSDS SHALL BE CREATED OR INFERRED BY ANY STATEMENT IN THIS SDS. VARIOUS GOVERNMENT AGENCIES MAY HAVE SPECIFIC REGULATIONS REGARDING THE TRANSPORTATION, HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT WHICH MAY NOT BE COVERED BY THIS SDS. THE USER IS RESPONSIBLE FOR FULL COMPLIANCE

End of Document