



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity	Power Pre-Soak for Flatware
Alternate Names	Chemical Family: blended detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use	Pre Soak Flatware.
Application Method	Add to sink or tub

1.3. Details of the supplier of the safety data sheet

Company Name	Big 3 Packaging, LLC 4201 Torresdale Avenue Philadelphia, PA 19124
---------------------	---

Emergency

CHEMTREC (USA)	(800) 424-9300
24 hour Emergency Telephone No.	800-535-5053
Customer Service: Big 3 Packaging, LLC	215-743-4201

2. Hazard identification of the product

The hazard classification and label elements reflect the intrinsic properties of the concentrate product as supplied, which is sealed in a water soluble sachet. The sachet when intact provides a barrier to dermal and inhalation exposure under conditions of normal handling and use. The precautionary statements are applicable under conditions of potential exposure to the concentrate itself.

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4;H302	Harmful if swallowed.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Dam. 1;H318	Causes serious eye damage.
Aquatic Chronic 2;H411	Toxic to aquatic life with long lasting effects.

Classification according to 67/548/EEC or 1999/45/EC.

Xn	Harmful.
N	Dangerous for the environment.

R22	Harmful if swallowed.
R38	Irritating to skin.



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

R41 Risk of serious damage to eyes.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

According to Regulation (EC) No 1272/2008



Danger

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

[Prevention]:

P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.
P302+352 IF ON SKIN: Wash with plenty of soap and water.
P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P312 Call a POISON CENTER or doctor / physician if you feel unwell.
P321 Specific treatment (see information on this label).
P330 Rinse mouth.
P362 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.

[Storage]:

No CLP storage statements

[Disposal]:



Safety Data Sheet

Power Up Pre-Soak for Flatware

SDS Revision Date: 05/20/2015
Revision 2

P501 Dispose of contents / container in accordance with local / national regulations.
See Technical Data Sheet.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

3. Composition/information on ingredients

If the product contains substances that present a health hazard within the meaning of the Dangerous Substances Directive 67/548/EC, or have occupational exposure limits detailed in EH40, these substances are listed below.

Ingredient/Chemical Designations	Weight %	67/548/EEC Classification*	EC No. 1272/2008 Classification*	Notes
Octylphenoxypolyethoxyethanol CAS Number: 0009036-19-5 EC No. Index No.:	25 - 50	R22 R41 R50/53	Acute Tox. 4;H302 Eye Dam. 1;H318 Aquatic Chronic 2;H411	[1]
Coconut oil diethanolamine condensate CAS Number: 0068603-42-9 EC No. 271-657-0 Index No.:	25 - 50	R38 R36	Skin Irrit. 2;H315 Eye Irrit. 2;H319	[1]
Diethylene glycol CAS Number: 0000111-46-6 EC No. 203-872-2 Index No.: 603-140-00-6	10 - 25	Xn;R22	Acute Tox. 4;H302	[1]
1-Octanamine, N,N-dimethyl-, N-oxide CAS Number: 0002605-78-9 EC No. Index No.:	1.0 - 10	Irritant R36/38	Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	[1]

[^]CLP 31 Reference EC No. 1272/2008 1.1.3.1. Notes relating to the identification, classification and labelling of substances (Table 3.1).

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

4.2. Most important symptoms and effects, both acute and delayed

Overview	No specific symptom data available. See section 2 for further details.
Eyes	Causes serious eye damage.
Skin	Causes skin irritation.
Ingestion	Harmful if swallowed.

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.



Safety Data Sheet
Power Up Pre-Soak for Flatware
 SDS Revision Date: 05/20/2015
 Revision 2

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong Oxidizers

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000111-46-6	Diethylene glycol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0002605-78-9	1-Octanamine, N,N-dimethyl-, N-oxide	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0009036-19-5	Octylphenoxypolyethoxyethanol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0068603-42-9	Coconut oil diethanolamine condensate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000111-46-6	Diethylene glycol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0002605-78-9	1-Octanamine, N,N-dimethyl-, N-oxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0009036-19-5	Octylphenoxypolyethoxyethanol	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0068603-42-9	Coconut oil diethanolamine condensate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;



Safety Data Sheet

Power Up Pre-Soak for Flatware

SDS Revision Date: 05/20/2015
Revision 2

8.2. Exposure controls

Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended.
Skin	Wear overalls to keep skin contact to a minimum.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Dark green Liquid
Odor	Almond
Odor threshold	Not Measured
pH	7.5 ± 0.5
Melting point / freezing point	Not Established
Initial boiling point and boiling range	Not Established
Flash Point	Not Applicable
Evaporation rate (Ether = 1)	Equal to Water
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Established Upper Explosive Limit: Not Established
Vapor pressure (Pa)	Not Established
Vapor Density	Not Established
Specific Gravity	1.02 (on dilution ≈ 1.0)
Solubility in Water	Complete
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Established
Decomposition temperature	Not Established
Viscosity (cSt)	Not Established
VOC %	Not Established
Percent Volatiles (by weight)	> 10 (on dilution < 1.0)

9.2. Other information

No other relevant information.



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Keep out of heat > 140F and cold < 30F.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

Oxides of Carbon

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Octylphenoxypolyethoxyethanol - (9036-19-5)	3,800.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Coconut oil diethanolamine condensate - (68603-42-9)	No data available	No data available	No data available	No data available	No data available
Diethylene glycol - (111-46-6)	12,565.00, Rat - Category: NA	11,890.00, Rabbit - Category: NA	No data available	No data available	No data available
1-Octanamine, N,N-dimethyl-, N-oxide - (2605-78-9)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	4	Harmful if swallowed.
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Octylphenoxypolyethoxyethanol - (9036-19-5)	7.20, Oncorhynchus mykiss	8.60, Daphnia magna	0.21 (96 hr), Pseudokirchneriella subcapitata
Coconut oil diethanolamine condensate - (68603-42-9)	Not Available	Not Available	Not Available
Diethylene glycol - (111-46-6)	32,000.00, Gambusia affinis	8,400.00, Daphnia magna	Not Available
1-Octanamine, N,N-dimethyl-, N-oxide - (2605-78-9)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

Octylphenol ethoxylates are extensively biodegraded in laboratory screening tests, but do not meet the stringent criteria for classification as readily biodegradable. These substances are inherently biodegradable to carbon dioxide and water, and numerous studies have shown that under conditions in which sufficient oxygen, nutrients, and microorganism concentrations occur, such as in soils, surface waters, and well-functioning wastewater-treatment facilities, the substances are extensively biodegraded. Treatment efficiencies vary, although most facilities typically remove between 80 and 90% (through a combination of biodegradation and adsorption).

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

13. Disposal considerations

13.1. Waste treatment methods

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.

Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply.

14. Transport information

Not Applicable

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Applicable	Not Applicable
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable DOT Label: ---	IMDG: Not Applicable Sub Class: Not Applicable	Air class: Not Applicable
14.4. Packing group	{DOTPG}	Not Applicable	Not Applicable
14.5. Environmental hazards			

IMDG Marine Pollutant: Yes (Octylphenoxypolyethoxyethanol)

14.6. Special precautions for user

No further information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European



Safety Data Sheet
Power Up Pre-Soak for Flatware
SDS Revision Date: 05/20/2015
Revision 2

Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

National Legislation

None noted.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Xi Irritant.

THE INFORMATION CONTAINED IN THIS SDS WAS OBTAINED FROM CURRENT AND RELIABLE SOURCES, HOWEVER THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. SINCE THE CONDITIONS OF HANDLING, STORAGE AND DISPOSAL OF THIS PRODUCT ARE BEYOND THE CONTROL OF THIS COMPANY, IT IS NOT RESPONSIBLE FOR LOSS, INJURY AND EXPENSE ARISING OUT OF THE PRODUCT'S IMPROPER USE. NO WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE PRODUCT DESCRIBED IN THIS MSDS SHALL BE CREATED OR IMPLIED BY ANY STATEMENT IN THIS SDS. VARIOUS GOVERNMENT AGENCIES MAY HAVE SPECIFIC REGULATIONS REGARDING THE TRANSPORTATION, HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT WHICH MAY NOT BE COVERED BY THIS SDS. THE USER IS RESPONSIBLE FOR FULL COMPLIANCE

END DOCUMENT